


Outlook VN

Outlook VN control stations offer a wide range of push button and slider stations to meet the needs of any system. Any system command may be programmed to any pushbutton in your system for exceptional flexibility.

Outlook VN opens a connection to our powerful range of entertainment lighting control systems, providing large scale control for any presentation in today's modern themed environments.



Features

- Next Generation Architectural control
- Station-based technology; no central processor required
- Available with push button, slider preset, and slider only control stations
- Simple computer-based set up and configuration
- Fully scalable to hundreds of stations
- System configuration is simple using Vision.net Designer
- The system can easily upload existing configurations for editing
- Systems are simple to support and change
- Low-cost Cat 5 cable wiring

System Capacity and Connectivity

- Scales from a single space up to 255 rooms in a single system
- 125 channels per room
- Unlimited dimmers per room with patching and DMX capture support
- 255 stations per system
- Calendar-based events
- Time-clock events
- Connects to C21, A21 and R21 Dimmer Systems
- Vision.net to DMX512 module available for interface to a wide range of DMX512-controlled devices.


SPECIFICATION SUBMITTAL

CONSULTANT <input type="text"/>	PROJECT NAME: <input type="text"/>	MODEL NUMBER QUANTITY: <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>
DATE: <input type="text"/>	PROJECT NUMBER: <input type="text"/>	APPROVED BY: <input type="text"/>

Strand Architectural Controls

Vision.net Station Features

- All stations' buttons and faders are fully programmable
- All stations include integrated processors and may operate as stand-alone systems
- Station set up and configuration is simple
- Wall stations all have unique addresses
- Configuration software can upload and download station set-up data
- Commands include:
 - Raise Lower
 - Preset
 - Toggle on/off
 - Smart commands allow multiple system commands to be executed from a single button press
 - Commands to Palette and Light Palette Consoles



Faders may be patched to any dimmers

Strand Architectural Controls

Vision.net Designer

- Windows-based configuration software
- Simple point and click operation
- Easy download and upload of station configuration data to an entire system from a single access point
- Built-in design tools and system simulators allow users to fully test and simulate their systems
- Drag-and-drop touchscreen setup



Vision.net Designer set-up screen



System outputs may be simulated so that you can easily test your design and configuration.

Strand Architectural Controls

Ordering Information

Cat No	Description
--------	-------------

Outlook VN Control Stations

Outlook VN Master Slider Preset Stations

63003VN	Master Station – 3 channel 8 preset, 4 gang
63006VN	Master Station – 6 channel 8 preset, 4 gang
63009VN	Master Station – 9 channel 8 preset, 5 gang
63012VN	Master Station – 12 channel 8 preset, 6 gang
63015VN	Master Station – 15 channel 8 preset, 7 gang

To order tabletop versions, add "P" to the end of the catalog number.

Outlook VN Fader Slider Stations

63103VN	Fader Slider Station – 3 Channel, 4 gang
63106VN	Fader Slider Station – 6 Channel, 4 gang

Outlook VN Programmable Pushbutton Stations

63021VN	Remote Station – 1 button, 1 gang
63022VN	Remote Station – 2 button, 1 gang
63024VN	Remote Station – 4 button, 1 gang
63028VN	Remote Station – 8 button, 1 gang

To order tabletop versions, add "P" to the end of the catalog number.
Standard Faceplate Finish All Outlook VN Stations: Soft White

Supported Accessories

Cables

All tabletop stations include one 25 ft. cable

66095	Tabletop Station Ext. Cable (A6M-A6F) – 9 ft (3m)
66096	Tabletop Station Ext. Cable (A6M-A6F) – 25 ft (8m)
66097	Tabletop Station Ext. Cable (A6M-A6F) – 50 ft (16m)

Receptacle Stations

stainless steel faceplate w/insert

63041VN	Outlook Receptacle Station (D6F) – 1 gang
63035	Vision.net RS232 Programming Station

Vision.net DMX Interface

63054	Vision.net to DMX Interface (for use with Standard DMX512 Dimmers)
-------	--

Vision.net Data Cable Splitter

63055RM	Vision.net 4 Way Data cable splitter for panel mounting
63055SE	Vision.net 4 Way Data cable splitter with enclosure

Vision.net Configuration Software

67518	Windows configuration software on CD-ROM
-------	--

Strand Lighting, Inc.

6603 Darin Way
Cypress, CA 90630
Tel: (714) 230-8200
Fax: (714) 899-0042

Strand Lighting Europe Limited

Unit 2 Royce Road, Fleming Way
Crawley, West Sussex RH10 9JY
Tel: + 44 (0) 1293 554010
Fax: + 44 (0) 1293 554019

Strand Lighting Asia Limited

20/F Delta House,
3 On Yiu Street
Shatin, N.T. Hong Kong
Tel: +852 2757 3033
Fax: +852 2757 1767

www.strandlighting.com

© Philips Group 2008
All rights reserved.
The Company reserves the right to make any variation in design or construction to the equipment described. E&OE