



Smaller
Brighter
Better



• NARROW DIAMETER MORE UNITS PER PIPE • 360° ROTATION ANY SHUTTER CUT POSSIBLE • OFF CENTRE YOKE PIVOT POINT ALLOWS SHORT HANGING • LIGHTER AND BRIGHTER • EASY TO MAINTAIN • SPRING LOAD ADJUSTMENT

SL Series Spotlights






FULL 360° ROTATION

- Unique to the SL Series spotlights
- Rapid and accurate focusing for any shutter or gobo position

EXCEPTIONAL LIGHT OUTPUT

- Brighter than ever
- Superb clean distribution
- Sharp shutter and gobo focus
- Clean edges
- Wide range of soft focus while maintaining the beam size – no zooming effect

SL19
SL26
SL36
SL50



DESIGNED BY OUR CUSTOMERS

Our new SL series spotlights are the result of months of intensive design feedback from lighting designers, stage technicians and rental companies across the world. Designed to meet the needs of today's tightly focused rigs, and incorporating the latest technology, the SL series is the next generation of spotlights: Smaller, Brighter and Better.

HIGH PERFORMANCE OPTICAL SYSTEM

- High efficiency dichroic coated glass reflector takes most of the heat away from the light beam for longer gel, shutter and gobo life
- Aspheric computer-designed lenses for accurate focus across the entire beam
- Special lens coating for even better performance



SL15-32
SL23-50

REMARKABLY EASY TO MAINTAIN

- Quick and easy access for lens and reflector cleaning
- Color-coded lenses for easy replacement
- Fast and easy lamp centering that won't move in transit
- Bayonet action lamp changing system for simple lamp changes without affecting field setting
- Fast positive peak/flat adjustment for smooth tool free field settings



FLEXIBLE AND REMARKABLY EASY TO HANG AND FOCUS

- Off-centre pivot point for quick and easy close hanging
- Adjustable yoke with two mounting positions for optimised hanging and balance
- Large rear handle for easy positioning
- Compact size allows more lights in tight hanging positions



VERSATILE

- Wide gate will fit drop-in iris, standard B size or rotating gobo holder
- Common lamp house with easily interchangeable lens tubes
- Dual color runners with integral safety catches and space for glass color filters
- SL spotlights will accept standard accessories



SL Series Spotlights are supplied with 360° rotation mounting yoke, color frame, power cable with bare leads and C-clamp 120V units only. 230/240V units are also available with GKV 600W lamp and fitted with 15 amp or Schuko plug.

SL Series Spotlight Ordering Information:

Accessories:

cat no.	description
FIXED FOCUS (230/240V)	
11300	5° - 600W, 230/240V
11310	10° - 600W, 230/240V
11320	19° - 600W, 230/240V
11330	26° - 600W, 230/240V
11340	36° - 600W, 230/240V
11350	50° - 600W, 230/240V

ZOOM-VARIABLE FOCUS (230/240V)	
11410	15/32° - 600W, 230/240V
11420	23/50° - 600W, 230/240V

FIXED FOCUS (120V)	
11301	5° - 575W, 120V
11311	10° - 575W, 120V
11321	19° - 575W, 120V
11331	26° - 575W, 120V
11341	36° - 575W, 120V
11351	50° - 575W, 120V

ZOOM-VARIABLE FOCUS (120V)	
11411	15/32° - 575W, 120V
11421	23/50° - 575W, 120V

cat no.	description
LAMPS - 230/240V	
GKV	600W, 230/240V, 400 hrs
GLB	600W, 230/240V, 1500 hrs

LAMPS - 120V	
GLC	575W 115V, 400 hrs
GLA/LL	575W 115V, 1500 hrs

18401	5° Lens Tube
18402	10° Lens Tube
18403	19° Lens Tube
18404	26° Lens Tube
18405	36° Lens Tube
18406	50° Lens Tube

18045	Pattern Holder
18049	Drop-in Iris

METER MORE UNITS PER PIPE • 360° ROTATION ANY SHUTTER CUT POSSIBLE • OFF CENTRE YOKE PIVOT POINT ALLOWS SHORT HANGING • LIGHTER AND BRIGHTER • EASY TO MAINTAIN • SPRING LOAD ACCESSORY CLAMP

Strand Lighting Inc
18111 South Santa Fe Avenue
Rancho Dominguez, CA 90221, USA
Tel: +1 310 637 7500 fax: +1 310 632 5519

Strand Lighting Inc
2nd Floor, 151 West 25th Street
New York, NY 10001, USA
Tel: +1 212 242 1042 Fax: +1 212 242 1837

Strand Lighting (Canada) Inc
Eclairages Strand (Canada) Inc.
2430 Lucknow Drive #15
Mississauga, Ontario L5S 1V3, Canada
Tel: +1 905 677 7130 Fax: +1 905 677 6859

Strand Lighting Asia Ltd
7/F Corporation Square, 8 Lam Lok Street
Kowloon Bay, Hong Kong
Tel: +852 2757 3033 Fax: +852 2757 1767

Strand Lighting Ltd.
North Hyde House, Hayes Road,
Heston, Middlesex UB2 5NL, UK.
Tel: +44 (0)181 571 3588 Fax: +44 (0) 181 571 3305

Strand Lighting GmbH
Ullsteinstrasse 114-142
D-12109 Berlin, Germany
Tel: +49 (0) 30/70 79 51 0 Fax: +49 (0) 30/70 79 519 9

Strand Lighting Italia S. r.l.
Via delle Gardenie, 33
00040 Pomezia (Roma), Italia
Tel: +39-06 919631, Fax: +39-06 9147136

Strand Lighting
1 Rue de l'Arc de Triomphe
75017 Paris, France
Tel: +33 (0) 1 55 37 00 33, Fax: +33 (0) 1 55 37 02 33

Strand Lighting
Novinsky Boulevard 20A, Buildings 3-6
12069 Moscow, Russia
Tel: +7 095 290 2092, Fax: +7 095 290 1736

<http://www.strandlighting.com>

