



STRAND

Effective from the 13th October 1980

Price List

Recommended Retail Prices subject to V.A.T.

**FUTURIST THEATRICAL HIRE LTD.
HOYLE HEAD MILLS
NEW STREET
EARLSHEATON
DEWSBURY
TELEPHONE 468183**

**For Prices of Television, Film, Video and
Photographic Lighting Equipment
see separate Price List**

SEE PAGES 6,7 FOR LAMP PRICES AND COLOUR CHANGE

SEE PAGES 8,9 FOR LIGHTING CONTROLS AND CABLES ETC.

SEE PAGES 10,11 FOR STANDS, BARRELS, CLAMPS ETC AND GENERAL INFORMATION

IMPORTANT: ALWAYS USE THE 7-DIGIT ORDER CODE

PROFILE SPOTS



Profile spotlights have four built-in shutters and gate runners between the reflector system and the lens to provide accurate and convenient control of beam shape. Spread stated is for max. circle.

Bifocal spotlights have two sets of shutters to provide a combination of hard and soft edges to a shaped beam.

Prices of Profile, Bifocal, Follow Spotlights include tilting fork, one frame for colour, 1m external length of heat-resisting cable, but **do not include** lamp, colour filter, suspension clamp, or safety chain.

Model 23, 500 Watt	Order Code	£
30° max. beam spread, P28s holder for 500W T/17 Halogen or T/1 lamp, 90mm dia. P.C. lens, Cinemoid frame	20 010 03	59.00
P.C. lens, 90x125mm, to convert to 40° spread	27 310 01	8.60
Step lens, 90mm dia. to convert to 35° diffused-edge spread	27 411 01	8.60
Conical narrow angle lens front to convert to 14° spread	23 355 10	40.00
Iris diaphragm, 12 leaf	23 363 09	9.00
Additional colour frame	27 359 0T	2.00
Hook clamp	26 483 07	1.40
Safety chain	26 064 0T	1.00

Model 823, 650 Watt	Order Code	£
22° max. beam spread, P28s holder for 650W T/13 Halogen lamp, or 500W T/17 or 650W bi-plane T/22, 150mm dia. prismatic step lens, Cinemoid/Chromoid frame	21 300 06	75.00
Iris diaphragm, 12 leaf	23 363 09	9.00
165mm ² lens guard	27 885 02	6.90
Additional colour frame	27 792 17	2.10
Hook clamp	26 483 07	1.40
Safety chain	26 064 0T	1.00

Model 813, 650 Watt variable spread	Order Code	£
22°/35°, P28s holder for 650W T/13 Halogen lamp, or 500W T/17 or 650W bi-plane T/22, 150mm dia P.C. lens, Cinemoid/Chromoid frame, grab handle	21 301 01	99.00
Set of 3 circular aperture masks	23 879 01	3.50
165mm ² lens guard	27 885 02	6.90
Additional colour frame	27 792 17	2.10
Hook clamp	26 483 07	1.40
Safety chain	26 064 0T	1.00

T-Spot 84 1000 Watt variable spread	Order Code	£
15°/28°, GX9.5 holder in removable tray for 1000W T/11 Halogen lamp, or 1000W T/19, 150mm dia. P.C. lens, Cinemoid/Chromoid frame, grab handle	21 040 01	130.00
Iris diaphragm, 12-leaf	23 775 13	14.00
Set of 3 circular aperture masks	23 791 08	4.00
165mm ² lens guard	27 885 02	6.90
Additional colour frame	27 792 17	2.10
Hook clamp	26 483 07	1.40
Safety chain	26 064 0T	1.00

T-Spot 64 1000 Watt Bifocal	Order Code	£
22° max. beam spread, GX9.5 holder for 1000W T/11 Halogen lamp, or 1000W bi-plane T/19, 150mm dia P.C. lens, Cinemoid/Chromoid frame, grab handle	21 031 0T	125.00
Iris diaphragm, 12 leaf	23 775 13	14.00
P.C. lens, 90x430mm to convert to 30° spread	27 777 01	12.00
P.C. lens, 90x230mm to convert to 38° spread	27 644 09	14.50
165mm ² lens guard	27 885 02	6.90
Additional colour frame	27 792 17	2.10
Hook clamp	26 483 07	1.40
Safety chain	26 064 0T	1.00

Model 774 1000 Watt Bifocal	Order Code	£
12° max. beam spread, GX9.5 holder for 1000W T/11 Halogen lamp, or 1000W bi-plane T/19, twin 200mm dia. P.C. lens, Cinemoid frame	21 070 03	160.00
Iris diaphragm, 12 leaf	23 625 04	15.00
215mm ² lens guard	27 884 07	9.00
Additional colour frame	27 632 00	2.80
Hook clamp, heavy duty	26 874 03	6.90
Safety chain	26 064 0T	1.00

Model 808 2000 Watt variable spread	Order Code	£
12°/22°, GY.16 holder for 2000W CP/43 Halogen lamp, or 2000W bi-plane CP/79, built-in iris diaphragm, 200mm dia P.C. lens, Cinemoid/Chromoid frame, grab handle	21 304 08	325.00
215mm ² lens guard	27 884 07	9.00
Additional colour frame	27 632 19	4.00
Hook clamp, heavy duty	26 874 03	6.90
Hook clamp for TV spigot	26 594 04	15.00
TV spigot for Model 808	26 593 09	4.10
Safety chain	26 064 0T	1.00

FOLLOW SPOTS



Prices of Follow Spots **do not include** lamp, colour filter or stand.

Model 818 2000 Watt variable spread	Order Code	£
12°/22°, GY.16 holder for 2000W bi-plane CP/79 or CP/43 Halogen lamp, 200mm dia P.C. lens, built-in iris diaphragm, horizontal strip shutters, 4-colour magazine and fork with T.V. spigot, adjustable balance for stand mounting	21 305 03	460.00
Folding, braced stand	26 897 04	67.00
Additional colour frame	27 632 19	4.00

Model 765 1000 Watt CSI	Order Code	£
14° max. beam spread, EHT G.22 holder for 1000W CSI lamp or 1000W CID lamp, twin 250mm dia P.C. lens, built-in iris diaphragm, horizontal and vertical strip shutters, built-in EHT starter unit (220/240V 50Hz input) and external regulation unit	21 051 04	825.00
Folding, braced stand	26 897 04	67.00
Hand operated 4-colour magazine	23 636 07	70.00
Mechanical dimming shutter assembly	23 740 06	75.00
Additional colour frame	27 061 0T	4.00

Pani HMV 1200/20 1200 Watt HMI	Order Code	£
10.5° max. beam spread, 200mm dia. P.C. lens, built-in iris diaphragm, 4 beam shaping shutters, black-out disc, external ballast unit	38 220 03	1830.00

Pani HMV 1200/35 1200 Watt HMI	Order Code	£
6.5° max. beam spread, 230mm dia. P.C. lens, built-in iris diaphragm, 4 beam shaping shutters, black-out disc, external ballast unit	38 235 08	1880.00
Folding, braced stand for TV spigot	26 897 04	67.00
TV spigot for HMV	26 593 09	4.10
Manually operated dimming shutter for HMV	38 250 05	340.00
Hand operated 4-colour magazine for HMV	23 701 02	68.00

Niethammer HUV 213 2000 Watt Halogen	Order Code	£
13° max. beam spread, 220mm P.C. lens, condenser optics, built-in iris diaphragm, 4 beam shaping shutters and black-out shutter, sliding gobo/correction filter holder, comprehensive balanced tilt and swivel mount for DIN platter	40 221 35	1130.00

Niethammer HUV 218 2000 Watt Halogen	Order Code	£
As HUV 213 but with 18° max. beam spread	40 221 86	1130.00

Niethammer MUV 108 1200 Watt HMI	Order Code	£
8° max. beam spread, 220mm P.C. lens, condenser optics, 2 built-in iris diaphragms, variable diaphragm, sliding gobo/correction filter holder, sliding holder for 120x120mm U.V. filter, diffusing filter for soft spotting, comprehensive balanced tilt and swivel mount for DIN platter, built-in EHT starter unit with local control and external regulation unit	40 110 89	2100.00

Niethammer MUV 113 1200 Watt HMI	Order Code	£
13° max. beam spread, 220mm P.C. lens, condenser optics, built-in iris diaphragm, 4 beam shaping shutters and black-out shutter, sliding gobo/correction filter holder, comprehensive balanced tilt and swivel mount for DIN platter, built-in EHT starter unit with local control and external regulation unit	40 111 33	2050.00

Accessories for HUV, MUV	Order Code	£
Folding, braced stand	26 897 04	67.00
Adaptor for above stand (TV spigot to DIN platter)	40 912 43	12.00
Heavy duty stand ST123	40 912 35	160.00
4-colour change, semaphore, with colour wheel, hand operated	40 925 04	250.00
Mechanical dimming diaphragm	38 250 05	321.00

EFFECTS



The majority of projected moving effects require an effects spot, a moving effects attachment, and an objective lens. Scene projection requires a slide carrier and a turntable front instead of an effects attachment.

Effects Spot	Order Code	£
Patt 252 2000W. 150mm dia. 3-element condenser lens, P.40s holder for CP/53 Halogen	20 150 07	305.00
Turntable front only for slide carrier	24 154 04	45.00
Metal slide carrier for two 3/4 x 4-in or 3/4-in square slides	24 156 05	79.00

Objective Lenses	Order Code	£
Commercial quality, slide focusing and with backplate.		
6.5cm (2 1/2-in) focal length	24 151 08	75.00
7.5cm (3-in) focal length	24 152 03	75.00
10cm (4-in) focal length	24 153 09	75.00
Adjustable metal mask	24 343 00	8.00
Beam divertor mirror for above	24 346 07	19.00

Moving Effects Attachments	Order Code	£
Disc Type 475mm diameter case 220/240V AC motor drive		
Thunder Clouds	24 653 01	300.00
Fleecy Clouds	24 134 0T	300.00
Storm Clouds	24 135 05	300.00
Rain	24 136 00	325.00
Snow	24 137 06	310.00
Running Water	24 138 01	350.00
Smoke	24 140 05	350.00
Flames	24 141 00	350.00
Dissolving Colour	24 147 03	345.00
Chromosphere	24 667 00	345.00

Psychedelic	24 723 04	362.00
Chromotrope	24 725 05	450.00
Box Type 220/240V AC motor drive		
Sea Wave	24 143 01	310.00
Undersea	24 145 02	310.00
Fire Flicker	24 149 04	190.00
Hand Operated		
Forked Lightning	24 148 09	190.00
Mirror Balls		
Mirror Ball, 300mm dia. with mosaic surface	23 107 08	77.00
Mirror Ball, 405mm dia. otherwise as above	23 108 03	99.00
Rotator, 200/250V AC motor drive, for either size		
Mirror Ball	23 110 07	57.00

SEE PAGES 6,7 FOR
LAMP PRICES AND
COLOUR CHANGE

SEE PAGES 8,9 FOR
LIGHTING CONTROLS
AND CABLES ETC.

SEE PAGES 10,11 FOR
STANDS, BARRELS,
CLAMPS ETC AND
GENERAL
INFORMATION

IMPORTANT:
ALWAYS USE THE
7-DIGIT ORDER CODE

FRESNEL SPOTS

These provide a soft-edged circular beam which is variable in spread from an intense near-parallel beam to a medium angle flood. Prices of Fresnel spotlights include tilting fork, one frame for colour, 1m external length of heat-resisting cable unless otherwise stated, but **do not include** lamp, colour filter, suspension clamps or safety chain.

Model 833, 500 Watt	Order Code	£
15°/48° beam spread, P28s holder for 500W T/1 lamp, or 500W T/17 Halogen lamp, 150mm dia lens, slide focus, Cinemoid/Chromoid frame	20 32004	35.00
Barndoor attachment, clip-on, 4-door, rotatable	23 894 09	9.80
Rear grab handle kit	27 857 79	2.50
165mm ² lens guard	27 885 02	6.90
Additional colour frame	27 792 17	2.10
Hook clamp	26 483 07	1.40
Safety chain	26 064 0T	1.00

Model 803 650 Watt	Order Code	£
13°/60° beam spread, P28s holder for 650W T/13 or 500W T/17 Halogen lamp, 150mm dia lens, Cinemoid/Chromoid frame, grab handle	21 302 07	49.00
Barndoor attachment, clip-on, 4-door, rotatable	23 894 09	9.80
165mm ² lens guard	27 885 02	6.90
Additional colour frame	27 792 17	2.10
Hook clamp	26 483 07	1.40
Safety chain	26 064 0T	1.00

Model 743 1000 Watt	Order Code	£
15°/65° beam spread, GX9.5 holder for 1000W T/11 Halogen lamp, 200mm dia lens, Cinemoid colour frame	21 000 02	76.00
Barndoor attachment, 4-door, rotatable	23 633 00	22.00
215mm dia lens guard	27 884 15	5.00
Additional colour frame	27 632 00	2.80
Hook clamp	26 483 07	1.40
Safety chain	26 064 0T	1.00

Model 828 2000 Watt	Order Code	£
15°/63° beam spread, GY.16 holder for 2000W CP/43 Halogen lamp, 200mm dia lens, Wire guard Chromoid frame, grab handle	21 306 09	125.00
Barndoor attachment, 4-door, rotatable	23 633 00	22.00
Additional colour frame	27 878 28	6.00
Hook clamp, heavy duty	26 874 03	6.90
Hook clamp	26 483 07	1.40
Safety chain	26 064 0T	1.00

Pollux 5000 Watt (manually operated)	Order Code	£
26°/71° beam spread, G.38 holder for 5000W CP/46 or CP/29 Halogen lamp, 300mm dia lens, with barndoor, wire guard, 28mm TV spigot and 7m 3-core cable. (Model 280/101)	60 280 04	297.00
Safety bond (Model 66/4)	53 630 29	7.50
Out-rig colour frame (Model 295)	66 029 5T	33.60

PAGE 4,5

P.C. SPOT

This provides a variable spread circular beam with diffused edges but without filament striation or edge coloration. Price includes tilting fork, one frame for colour, 1m external length of heat-resisting cable, but **does not include** lamp, colour filter, suspension clamps, or safety chain.

Model 814 1000 Watt prism convex	Order Code	£
8.5°/60°, GX9.5 holder for 1000W T/11 Halogen lamp, or 1000W bi-plane T/19, 150mm dia prism convex lens, Cinemoid/Chromoid frame, grab handle	21 307 04	65.00
165mm ² lens guard	27 885 02	6.90
Additional colour frame	27 792 17	2.10
Barndoor attachment, clip-on, rotatable	23 894 09	9.80
Hook clamp	26 483 07	1.40
Safety chain	26 064 0T	1.00

BEAMLIGHTS

Prices of Beamlights include tilting fork, one frame for colour, 1m heat resisting cable, but **do not include** lamp, colour filter, suspension clamps, or safety chain.

Model 750 1000 Watt	Order Code	£
10°/30° near-parallel beam spread, GX9.5 holder for T/11 1000W Halogen lamp, 250mm dia. parabolic reflector	21 010 0T	92.00
Lens guard	27 061 0T	4.00
Hook clamp	26 483 07	1.40
Safety chain	26 064 0T	1.00
ParBlazer 1000W 240V or 120V		
with Chromoid colour frame, wire guard, holder for CP/60, CP/61, or CP/62 PAR64 lamps	21 250 16	35.00
Additional colour frame	27 778 15	4.00
Wire guard as spare	27 250 06	5.00
Hook clamp	26 483 07	1.40
Safety chain	26 064 0T	1.00

BATTENS

Prices of each length include a pair of hangers for 48mm ext. dia. pipe, also terminal blocks at each end of the wiring trough to enable lengths to be joined end to end to make up the total length required. One set of colour frames is included, but prices **do not include** colour filters or lamps.

Patt S/63 6-ft Batten	Order Code	£
8×150W reflectors on 3 circuits	20 280 03	99.00
Patt S/64 6-ft Batten		
8×150W reflectors on 4 circuits	20 290 00	99.00
Patt S/34 3-ft Batten		
4×150W reflectors on 4 circuits	20 300 0T	66.00
Cable grip for multicore cable up to 20mm diameter	23 519 04	3.50

FOOTLIGHTS

Prices of Patt S-/F Footlight include terminal blocks at each end of the wiring trough, and set of colour frames.

Patt S/63/F 6-ft Footlight	Order Code	£
8×150W reflectors on 3 circuits	20 281 09	99.00
Patt S/64/F 6-ft Footlight		
8×150W reflectors on 4 circuits	20 291 06	99.00
Patt S/34/F 3-ft Footlight		
4×150W reflectors on 4 circuits	20 301 05	66.00
Pair of floor brackets for adjustable tilt groundrow	23 620 07	12.00
Set of four castors for floor brackets	23 621 02	18.50
Cable grip for multicore cable up to 20mm diameter	23 519 04	3.50

FLOODLIGHTS

These all provide a fixed, wide angle spread. Prices of individual Floodlights include tilting fork, one frame for colour, 1m external length of heat-resisting cable unless otherwise stated, but **do not include** lamp, colour filter, suspension clamp or safety chain.

Model 137 200 Watt	Order Code	£
110° beam spread, ES holder for 150W or 200W GLS lamp, 215mm dia. reflector. Cinemoid colour frame	20 071 02	23.00
Additional colour frame	27 240 09	2.30
Hook clamp	26 483 07	1.40
Safety chain	26 064 0T	1.00

Model 60 500 Watt	Order Code	£
78° beam spread, GES holder for 500W GLS lamp, 265mm dia. reflector, Cinemoid colour frame	20 050 02	32.00
Additional colour frame	27 061 0T	4.00
Hook clamp	26 483 07	1.40
Safety chain	26 064 0T	1.00

Broad 1000/1250 Watt	Order Code	£
With R7s Lampholders for linear 190mm tungsten halogen lamps and 3.5 metres 3 core cable, fitted with 5/8-in. spigot	61 332 0T	53.70
4 leaf barndoor	66 332 1T	10.10
Outrig colour frame	66 346 19	18.00

CYCLORAMA FLOODLIGHTS

Iris flood for illumination of cyclorama from top with R7s lampholder for linear 190mm tungsten halogen lamps, up to maximum 1250W.

Iris 4 Four Colour Unit	Order Code	£
with wire guard, colour frame, 28mm spigot and 4×7 metre 3-core cable (Model 3565)	63 356 5T	264.00
Additional colour frame (Model 3376)	66 337 68	5.25
Safety bond (Model 66/4)	53 630 29	7.50

Iris 1 Single Colour Unit	Order Code	£
with wire guard, colour frame, 28mm spigot and 5 metre 3-core cable (Model 3372)	63 337 26	76.20
Additional colour frame (Model 3376)	66 337 68	5.25
Safety bond (Model 66/4)	53 630 29	7.50

Mini Iris	Order Code	£
with 3.5 metres 3-core cable, but without colour frame (Model 3360) fitted with 5/8-in. spigot	63 336 04	55.00
Outrig colour frame (Model 3464)	66 346 19	18.00
Safety chain	26 064 0T	1.00

Pallas floor standing units for illumination of cyclorama with R7s lampholder for linear 190mm tungsten halogen lamps, up to maximum 650W.

Pallas 4 Four Compartment Unit	Order Code	£
with wire guards, colour frame, no cable (Model 3380)	63 338 05	225.00
Link cable system for 4×4 Pallas units	66 338 20	200.00
Additional colour frame (Model 3391)	66 339 18	7.50

Pallas 1 Single Compartment Unit	Order Code	£
with wire guard, colour frame and 5 metres 3-core cable (Model 3390)	63 339 00	64.00
Additional colour frame (Model 3391)	66 339 18	7.50

Table with columns: Description, Order Code, Price. Items include P.28 lamp cap (500 Watt, 650 Watt, 1000 Watt) and GX9.5 lamp cap (1000 Watt).

Table with columns: Description, Order Code, Price. Items include GX9.5 lamp cap (1000 Watt), GY.16 lamp cap (2000 Watt), and G.38 lamp cap (2000 Watt, 5000 Watt).

Table with columns: Description, Order Code, Price. Items include P.40 lamp cap (2000 Watt), E.S. lamp cap (150 Watt, 200 Watt), G.E.S. lamp cap (500 Watt, 1000 Watt), GY6.35 lamp cap (100 Watt), and Discharge Lamps (1000 Watt, 1200 Watt, 400 Watt).

Table with columns: Description, Order Code, Price. Items include PAR64 Lamps (1000 Watt) and R7s lamp cap (625 Watt, 750 Watt, 1000 Watt, 1250 Watt).

Lamps (Prices subject to increases outside our control)

All objective life ratings are those provided by the lamp manufacturers.

COLOUR CHANGE

Table with columns: Description, Order Code, Price. Items include Remote operated 5-colour change wheel, Five Cinemoid colours, Remote control boxes, and 2-unit, 4-unit, 6-unit control boxes.

Table with columns: Description, Order Code, Price. Items include Semaphore 4-colour change unit and Semaphore Remote Control Box.

Table with columns: Description, Order Code, Price. Items include Semaphore Remote Control Box, 6-unit control box, 6-unit semaphore, and Set of 5 24V lamps.

Table with columns: Description, Order Code, Price. Items include Hand-operated 4-colour magazine (Cinemoid/Chromoid frames) and Hand-operated 4-colour magazine (Model 765).

COLOUR FILTERS

Table with columns: Description, Order Code, Price. Items include Cinemoid Masterline Colours (Sheet, Pack, Half Sheet) and Cinemoid Professional Colours (Sheet, Pack, Half Sheet, Reference Book).

Table with columns: Colour Number, Colour Name. Lists 49 different color options for filters.

Table with columns: Description, Order Code, Price. Items include Chromoid Reference Book and Chromoid Reference Book (listing 141 color options).

COLOUR FRAMES

Table with columns: Description, Order Code, Price. Items include For Cinemoid (100mm, 145x135mm, 165mm, 215mm, 235x205mm, 300mm) and For Chromoid or Cinemoid (165mm, ParBlazer, 215mm, 300mm, 410mm, 240x215mm).

In U.K. prices are subject to V.A.T.

STANDS

Description	Order Code	£
Low, light duty, folding stand. Will accept 3/8-in or 1/2-in thread spigot	26 875 09	6.00
Low, folding stand for 1 1/2-in T.V. spigot	26 876 04	20.00
Folding, cast-base telescopic stand, 1.33m to 2.37m. Will accept 3/8-in or 1/2-in thread spigot	26 896 09	40.00
Tall, telescopic stand, double extension, 1.5m to 3.5m with braced, folding legs. Will accept 3/8-in thread spigot only	26 898 0T	65.00
Spigot adaptor, 3/8-in thread, for Model 803, 813, 814, 823, 833, 23, 60, 137, 743 also 123, 223, 263, 264	26 484 02	1.50
Spigot adaptor, 1/2-in thread, for Model 828, T-Spots, 749, also 243	26 487 09	1.50
Folding, braced stand, 0.9m to 1.5m for follow spots. etc. Will accept 1 1/2-in T.V. spigot	26 897 04	67.00
Atlas, telescopic stand, double extension 1.25m to 2.62m, with braced, folding legs and braked wheels. Will accept 1 1/2-in T.V. spigot	67 785 09	67.00
Goliath, tall telescopic stand, heavy duty double extension, 1.56m to 3.66m with braced folding legs. Will accept 1 1/2-in T.V. spigot	52 069 0T	61.00
Samson, heavy duty wind-up telescopic stand 1.47m to 2.70m, with braced folding legs. Will accept 1 1/2-in T.V. spigot	52 083 01	124.00
1 1/2-in T.V. spigot, 3/8-in stem, for Model 803, 813, 814, 823, 833, 23, 743, also 123, 223, 263, 264	26 592 03	4.10
1 1/2-in T.V. spigot, 1/2-in stem, for Model 808, 828, T-Spots, 252, 253, 749, 774, also 243, 793	26 593 09	4.10

BARRELS

Internally Wired Barrels

These consist of 48mm ext. dia. alloy pipe with PVC insulated wiring brought to short tails at each equidistant lantern position and terminated in 5 or 15 amp 3-pin flex sockets supplied with mating rubberclad plugtops. The other end of the wiring terminates in a numbered terminal box at one end. Constructed in two or more lengths joined by a clamping plate.

Description	Budget Prices	
	with 5 amp sockets	with 15 amp sockets
4 way 5 metre	110.00	150.00
6 way 6 metre	125.00	170.00
8 way 6 metre	140.00	195.00
10 way 6 metre	155.00	225.00
12 way 7.5 metre	195.00	275.00
14 way 7.5 metre	210.00	305.00
16 way 7.5 metre	225.00	330.00

Other lengths and numbers of outlets on application.

Plain Barrels

Description	Order Code	£
48mm (1 7/8-in) external dia. alloy pipe		
3-metre (9.8ft length)	26 655 3T	20.00
4-metre (13.1ft length)	26 655 48	26.50
Clamping plate to join 48mm (1 7/8-in) ext. dia. pipe end-to-end	26 629 05	3.80

MISCELLANEOUS

Quality T-Shirts in white cotton complete with the STRAND logotype in black.

Small	32 222 30	1.60
Medium	32 222 06	1.60
Large	32 222 14	1.60
Extra large	32 222 22	1.60

Sweat shirts in navy blue cotton with STRAND logotype applied in white.

Small	32 333 38	5.00
Medium	32 333 03	5.00
Large	32 333 11	5.00
Extra large	32 333 2T	5.00

Luminaire Stencil

For planning lighting design layouts the stencil, in pale green plastic, covers the current Strand luminaire outlines and key accessories.

Plan view, scale 1:25	32 444 00	8.50
-----------------------	-----------	------

GENERAL INFORMATION

Goods are offered subject to the Company's Terms & Conditions of Business obtainable upon request. Possession of this price list is not in itself an offer to sell.

Orders

All orders not placed through our Sales Counters should be directed to:

Rank Strand
PO Box 51
Great West Road
Brentford
Middlesex TW8 9HR
Telephone: 01-568 9222

For the convenience of customers the following direct telephone lines are also available to our UK and Export Sales Order Desks.

Export Customers:  01-568 2192

UK Customers:  01-568 7171

Prices

Prices are in £ sterling and include domestic packing but not carriage. Special packing and export packing/crating are extra. All orders for delivery within the United Kingdom which are for less than £85.00 pre-VAT will be subject to a £9.00 minimum charge for packing and carriage.

Prices and specifications are subject to change without notice and do not include VAT or any such charges. All lighting units are priced without lamps unless otherwise stated.

Delivery

Prices do not include carriage. Carriage costs within the United Kingdom are charged at cost or at the predetermined rates established by Rank Strand. All export shipping costs and freight are for the account of the buyer.

Rank Strand responsibility ceases upon delivery of shipments to the carrier, and buyers are warned to immediately notify the carrier in writing of any loss or damage to goods in transit.

TERMS OF PAYMENT

United Kingdom

In respect of equipment for eventual delivery in the United Kingdom payment is due prior to delivery except for established account holders for whom our terms are strictly 30 days nett.

Overseas

In respect of Equipment for eventual delivery outside the United Kingdom and where not otherwise specified, payment shall be made prior to shipment by an irrevocable letter of credit confirmed for payment by a British bank in London.

COLLECTIONS

For immediate collection visit Rank Strand Counter Sales or your nearest dealer. Payment, at Rank Strand Counter Sales may be by cash, cheque with Bankers' card or an official order charged against an existing account.

To help us handle your order without delay please use the 7-digit order code and follow the procedure outlined.

CLAMPS & BRACKETS

Description	Order Code	£	Description	Order Code	£
Barrel Clamps and Brackets			Hook clamp for T.V. spigot (28mm/1 1/8-in) and 48mm pipe	26 594 04	15.00
Clamp to join 48mm (1 7/8-in) ext. dia. pipe at right angles	26 654 0T	3.70	Boom bracket for vertical 48mm pipe	26 255 07	4.50
Bracket for rigid fixing of 48mm (1 7/8-in) ext. dia. pipe to wall	26 631 09	6.70	Swivel arm boom bracket for vertical pipe	26 251 05	21.00
			Swivel arm wall bracket	26 247 00	13.00
Luminaire Clamps and Brackets			Spare threaded stem for swivel arm brackets	26 195 01	2.30
A safety chain should be used in addition to the primary suspension.			Wall bracket for two small spots, one above, one below	26 238 09	3.60
Safety chain, 560mm long, with clip hook	26 064 0T	1.00	Heavy duty wall bracket	26 877 18	4.00
Hook clamp for 48mm (1 7/8-in) ext. dia pipe	26 483 07	1.40	Ceiling plate, or base, for Model 803, 813, 823, 23, 60, 137, 743, also 123, 223, 263, 264, 833, 814	26 367 0T	4.40
Hook clamp, heavy duty, for 48mm ext. dia pipe, recommended for 2kW luminaires	26 874 03	6.90	Ceiling fixing saddle. Accepts 3/8-in or 1/2-in bolt	26 259 09	2.90
			Spigot adaptor, 5/8-in female/28mm male spigot	66 173 15	8.40

In U.K. prices are subject to V.A.T.


Brackets 238, 247, 251 are not suitable for Model 808, 828, T-Spots, 252, 774 etc.

In addition to Stage Lighting, Rank Strand supply Studio Lighting, Curtain Tracks, Suspension Sets, Drama Grids, Rostra and all Stage Draperies, also Auditoria Seating, Professional Sound Systems, Projection Equipment and Stage Engineering. The Electrical Contracting Department of Rank Strand offer a specialist installation service to the entertainment industry. Contact us for further details and specific quotations.

STOCKISTS, SALES COUNTERS & OFFICES

Key:

- △ Dealer
- Sales Counter
- * Sales Office
- Service Agent



Rank Strand PO Box 51 Great West Road Brentford Middlesex TW8 9HR
Telephone 01 568 9222 Telex 27976 Cables Rankaudio Brentford