Quartzcolor Price List



1	Part No.	Description	Model No.	Price (£)
		VEGA 10000 SPOTLIGHT		
		10K Single Filament Bi-Post Lamps B38 Socket		
	60 290 01	Vega 10Kw Manually Operated spotlight complete with 4 Leaf	290/101	560.00
	60 290 IT	rotating Barndoor, Wire Guard and 7 metres of 3 core cable. Vega 10Kw complete as above but with captive barndoor system	290/111	567.00
	60 293 08	Vega 10Kw Pole Operated spotlight complete with rotating 4 leaf Barndoor, Wire Guard and 7 metres of 3 core cable.	293/101	596.00
	60 293 16	Vega 10Kw complete as above but with captive barndoor system B38 socket can be fitted with safety shutter at extra cost	293/111 /2	603.00
		Accessories	Caradoon, Wire Ouled, Ca	10.05
	66 000 h6	(All accessories are the same as Pollux 5Kw)	201/175	25 50
	66 028 46	4 Leaf rotating barndoor (Spare Part)	284/175	25.50
	66 028 89 66 069 40	8 Leaf rotating barndoor (Spare Part)	288/275 694/175	44.50 32.50
	66 029 68	4 Leaf captive barndoor (Spare Part) Wire Guard (Spare Part)	296/180	4.55
	66 029 5T	Outrig colour frame (if Filters are to be used)	295/166	41.90
	52 083 01	Samson wind up stand with braked wheels	083	117.75
	67 785 09	Folding stand with wheel brakes	785/100	81.80
	52 069 OT	Goliath heavy duty stand for 29mm socket	069	57.50
	53 630 29	Luminaire safety bond (50 kg)	66/4	9.15
	337.00	POLLUX 5Kw SPOTLIGHT	Corner 123/A3Kw comp	91:570.09
		5000W Single Filament Bi-Post B38 Socket		t 417.76.
	60 280 04	Pollux 5Kw Manually Operated spotlight complete with 4 leaf	280/101	355.00
	00 280 04	rotating Barndoor, Wire Guard, Colour Frame and 7 metres of 3 core cable	280/101	333.00
	60 280 12	Pollux 5Kw complete as above but with captive barndoor system	280/111	362.00
	60 283 00	Pollux 5Kw Pole Operated spotlight complete with 4 Leaf rotating Barndoor, Wire Guard, Colour Frame and 7 metres of 3 core	283/101	395.00
	(0.283.10	cable.	202/111	402.00
	60 283 19	B38 Socket can be fitted with safety shutter at extra cost.	283/111 /2	402.00 10.65
		Twin Filament 4 Pin GX 38Q Socket		
	60 281 OT	Pollux 2.5/5Kw Manually Operated spotlight complete with 4 leaf	281/100	376.00
		rotating Barndoor, Wire Guard, Colour Frame and 7 metres of 3 core cable.		
	60 281 18	Pollux 2.5/5Kw complete as above but with captive barndoor system	281/110	383.00
	60 282 05	Pollux 2.5/5Kw Pole Operated spotlight complete with 4 leaf rotating Barndoor, Wire Guard, Colour Frame and 7 metres of 3	282/100	416.00
	60 282 13	core cable Pollux 2.5/5Kw complete as above but with captive barndoor system	282/110	424.00
	60 283 86 60 282 80	Motorised Pollux 5Kw Motorised Pollux 2.5/Kw	283/108 282/108	1,278.00
		A		
	66 028 46	Accessories 4 Leaf rotating barndoor (Spare Part)	284/175	25.50
	66 028 89	8 Leaf rotating barndoor (Spare Part)	288/275	44.50
	66 069 40	4 Leaf captive barndoor (Spare Part)	694/175	32.50
	66 028 54	Colour frame (Spare Part)	285/165	9.90
	66 029 68	Wire guard (Spare Part)	296/180	4.55
	66 029 5T	Outrig colour frame	295/166	41.90
	66 287 19	Cone (Front Diameter 155mm)	287/191	26.00
	66 287 27	Cone (Front Diameter 225mm)	287/192	26.00
	66 287 35	Cone (Front Diameter 275mm)	287/193	26.00
	66 289 1T	Full single scrim (66% trans)	289/182	8.65
	66 289 28	Half single scrim	289/184	6.65
	66 289 36	Full double scrim (50% trans)	289/181	10.75
	66 289 44 67 785 09	Half double scrim Folding Strad with wheel brokes	289/183	7.45
	52 008 00	Folding Stand with wheel brakes Hercules Stand on castors	785/100	81.80
	53 630 29	Hercules Steel Stand on castors Luminaire Safety Bond (50 kg)	008 66/4	35.00
	22 020 27	Editing Coatery Dolld (20 kg)	00/4	9.15

U.K.PRICE LIST EFFECTIVE 25th JANUARY 1982

Part No.	Description	Model No.	Price (£)
	CASTOR 2Kw SPOTLIGHT		
	2000W Single Filament Bi-Post Lamps B38 Socket		
60 270 07	Castor 2Kw Manually Operated spotlight complete with 4 leaf rotating Barndoor, Wire Guard, Colour Frame and 7 metres of 3 core cable.	270/101	276.00
60 270 15 60 273 03	Castor 2Kw complete as above but with captive barndoor system Castor 2Kw Pole Operated spotlight complete with rotating 4 leaf Barndoor, Wire Guard, Colour Frame and 7 metres of 3 core	270/111 273/101	283.00 319.00
.60 273 11	Castor 2Kw complete as above but with captive barndoor system B38 socket can be fitted with safety shutter at extra cost	273/111 /2	326.00 10.65
	Twin Filament 4 Pin Lamps GX 38Q Socket		
60 271 02	Castor 1.25/2.5Kw Manually Operated spotlight, complete with 4 leaf rotating Barndoor, Wire Guard, Colour Frame and 7 metres of 3 core cable.	271/100	270.00
60 271 10 60 272 08	Castor 1.25/2.5Kw complete as above but with captive barndoor system Castor 1.25/2.5Kw Pole Operated spotlight, complete with 4 leaf Barndoor, Wire Guard, Colour Frame and 7 metres of 3 core cable.	271/110 272/100	270.00 330.00
60 272 16	Castor 1.25/2.5Kw complete as above but with captive barndoor system	272/110	337.00
60 273 89 60 272 83	Motorised Castor 2Kw Motorised Castor 1.25/2.5Kw	273/108 272/108	1,212.15
66 027 40 66 027 83 66 068 45 66 027 59 66 027 67 66 277 11 66 277 2T 66 279 38 66 279 12 66 279 12 66 279 20 67 785 09 52 008 00 53 630 29	Accessories 4 Leaf rotating barndoor (Spare Part) 8 Leaf rotating barndoor 4 Leaf captive barndoor Colour Frame (Spare Part) Wire guard (Spare Part) Cone (Front diameter (100mm) Cone (Front diameter 150mm) Cone (Front diameter (195mm) Full double scrim (50% trans) Full single scrim (66% trans) Half double scrim Half single scrim Folding Stand with wheel brakes Hercules Steel Stand on castors Luminaire safety bond (50 kg) POLARIS 1Kw SPOTLIGHT 1000W Single Filament Bi-Post Lamps	274/175 278/275 684/175 275/165 276/180 277/191 277/192 277/193 279/181 279/182 279/183 279/184 785/100 008 66/4	20.90 35.50 26.35 8.10 3.50 23.40 23.40 6.00 5.00 4.00 3.50 81.80 35.00 9.15
60 260 OT	Polaris 1Kw Manually Operated spotlight complete with 4 leaf rotating Barndoor, Colour Frame, Wire Guard and 7 metres of 3	260/100	155.00
60 261 05	Core cable. Polaris 1Kw Pole Operated spotlight complete with 4 Leaf rotating Barndoor, Wire Guard, Colour Frame and 7 metres of 3 core	261/100	198.00
60 261 80	Cable. Polaris 1Kw Motorised	261/108	1,084.00
66 026 29 66 026 88 66 026 37 66 026 45 66 265 13 66 265 21 66 267 30 66 267 14 66 267 49 66 267 22 52 008 00 53 630 29	Accessories 4 Leaf rotating barndoor (Spare Part) 8 Leaf rotating barndoor Colour Frame (Spare Part) Wire Guard (Spare Part) Cone (Front Diameter 35mm) Cone (Front diameter 75mm) Cone (Front diameter 105mm) Full double scrim (50% trans) Full single scrim (66% trans) Half double scrim Half single scrim Hercules Steel Stand on castors Luminaire safety bond (50 kg)	262/175 268/275 263/165 264/180 265/191 265/192 265/193 267/181 267/182 267/183 267/184 008 66/4	12.50 26.00 3.75 2.90 9.20 9.20 9.20 3.50 3.15 2.65 2.55 35.00 9.15

U.K.PRICE LIST EFFECTIVE 25th JANUARY 1982

Part No.	Description	Model No.	Price (£
		GENTES ESTATION	
	MIZAR 300W SPOTLIGHT		
60 250 02	NEW Mizar 300/500W Manually Operated spotlight with	250/100	79.00
	3.5 metres of 3 core cable (without accessories)		
	Accessories	1000	
66 313 10	4 Leaf Barndoor (Spare Part)	3131/175	10.50
66 253 10	Colour Frame	253/165	3.35
66 933 12 66 933 20	Full Double Scrim Full Single Scrim	3133/181 3133/182	2.90
66 933 39	Half Double Scrim	3133/183	2.65
66 933 47	Half Single Scrim	3133/184	2.65
66 020 50	Table Stand	205/100	5.00
67 257 56	Spartan Stand	2575/100	25.00
10.301	ty Operation software consister leads 5	01000 10 10 00	
174.5	BAMBINO LOCATION SPOTLIGHTS		61 456 24
60 660 08	Bambino 1Kw Manually Operated spotlight complete with rotating 4 Leaf	Colone France	
	Barndoor, Wire Guard, Colour Frame, and 7 metres of 3 core cable	660/100	138.90
66 662 10	4 Leaf Barndoor (spare)	662/175	12.50
66 663 10	Colour Frame	663/165	3.60
66 664 16	Wire Guard	664/180	2.20
66 667 12	Full Double Scrim	667/181	3.20
66 667 20	Full Single Scrim	667/182	3.20
66 667 39	Half Double Scrim	667/183	2.80
66 667 47	Half Single Scrim	667/184	2.80
60 670 05	Bambino 2Kw Manually Operated spotlight complete with rotating 4 Leaf Barndoor, Wire Guard and 7 metres of 3 core cable.	670/100	222.00
60 680 02	(Accessories the same as the Polaris Spotlight) Bambing 5K w Marvally Operated spotlight complete with rotating 4 Leaf	680/111	341.00
00 000 02	Bambino 5Kw Manually Operated spotlight complete with rotating 4 Leaf Barndoor, Wire Guard and 7 metres of 3 core cable,	000/111	341.00
	(Accessories the same as the Castor spotlights)		
	Operation of the contract of t		
	(For Bambino 10Kw see Vega 10Kw spotlight model 290/101)		
52 008 00	Hercules Steel Stand on castors	008	35.00
57 785 09	Folding Stand with wheel brakes	785/100	81.80
53 630 29	Luminaire safety bond (50 kg)	66/4	9.15
			100000
	KAHOUTEK DUAL PURPOSE LUMINAIRE		
60 200 06	Kahoutek 2-5/5Kw Dual Source luminaire complete with	2000/110	895.00
	Barndoor, Wire Guard, Diffuser Frame for spotlight and Egg Crate with safety mesh for Softlight		
	Accessories		
66 200 39	Softlight diffuser frame	2003/165	25.00
6 200 47	Wire guard for egg crate	2004/180	30.00
6 200 20	Outrig Colour Frame	2002/166	46.00
	FOLLOW SPOTS	paraumarem are qual	
21.051.04	765 1000W CSI/CID Follow Spot	765	930.00
38.220.03	HMV 1200/20 1200W HMI Follow Spot	Wire Goard (Spare Part)	2,050.00
38.235.08	HMV 1200/35 1200W HMI Follow Spot		2,100.00
	Accessories		
23.636.07	Hand 4-Colour magazine for 765		72.00
23.701.02	Hand 4-Colour magazine for HMV		72.00
8.250.05	Dimming shutter for HMV		340.00

Part No.	Description	Model No.	Price (£)
	ANTARES SOFTLIGHTS		
62 327 06 62 327 14	Antares 2.5/Kw Manually Operated softlight complete with 7 metres of cable Antares 2.5/5Kw Pole Operated softlight complete with 7 metres of cable	3270/100 3271/100	289.00 330.00
66 327 28 66 327 36	Colour Frame Egg Crate	3272/165 3273/188	18.00 33.70
62 326 51	Antares 1.25/2.5Kw Manually Operated softlight complete	3265/100	163.00
62 326 6T	with 7 metres of cable Antares 1.25/2.5Kw Pole Operated softlight complete with 7 metres of cable.	3266/100	218.50
66 326 73 66 326 81	Colour Frame Egg Crate	3267/165 3268/188	15.00 36.00
62 326 00	Antares 1.25Kw Manually Operated softlight complete with 5 metres of cable.	3260/100	104.00
62 326 19	Antares 1.25Kw Pole Operated softlight complete with 5 metres of cable.	3261/100	174.50
66 337 68	Colour Frame	3376/165	6.50
52 008 00 67 785 09 53 630 29	Stands for Antares Range Hercules Steel Stand on castors Folding Stand with wheel brakes Luminaire safety bond (50 kg)	008 785/100 66/4	35.00 81.80 9.15
2,20	CYCLORAMA LIGHTS	my to a motion that	HC 700 48
	Overhead units for even illumination of "Cyclorama" from top only		
63 356 5T	Iris "4" Four colour unit, complete with Wire Guards, Colour Frames and Pole Operated Stirrup with 4 x 7 tails	3565	340.00
63 356 84	Iris "3" Horizontal three colour unit, complete with Wire Guards, Colour Frame and Pole Operated Stirrup with 3 x 7 tails	3568	250.00
63 357 47		3574	188.00
63 357 55		3575	188.00
63 337 34		3373 .	135.00
63 337 26	Iris "1" One colour unit, complete with Wire Guard, Colour Frame Manually Operated Stirrup and 5 metres of cable.	3372	94.00
63 336 04 66 346 19	Mini Iris "1" with Manual Stirrup plus 3.5 metres of 3 core cable Outrig Colour Frame for Mini Iris	3360 3461	68.00 23.40
	Note:- Standard Pole Operated on Iris units only cover Tilt- additional cost for Pan + Tilt Stirrup		40.00
66 336 11	Cable Systems Iris "4" and "2" units are supplied with separate 7 metres 3 core cables to each compartment. If specified, units requiring standard 9 pin Connector can be supplied. Model number changes from 35XX to 33XX (i.e. 3565=3365) Standard multicore feeder cable (7.5 metres long) for Iris "4", "3" and "2" units, fitted with female multicore connection at	3361	35.00
	lamp end un-terminated at other.		
66 337 68 66 337 76	Accessories Colour Frame (Spare Part) Wire Guard (Spare Part)	3376 3377	6.45
53 630 29	Luminaire safety bond (50 kg)	66/4	9.15
	Ground row units for even illumination of "Cyclorama" from bottom only.		
63 338 05 63 338 56	Pallas "4" Four Colour unit, complete with Wire Guard and Colour Frame Pallas "4" Hinged four colour unit (for colour use) complete	3380/100 3385/100	247.50 289.50
63 339 00	With Wire Guard and Colour Frame Pallas "I" Single colour unit, complete with Wire Guard, Colour Frame and 5 metres of 3 core cable.	3390/100	75.00
	Cable systems		
66 338 12 66 338 20	Feeder cable for eight (8) Pallas "4" units Feeder cable for four (4) Pallas "4" units	3381/100 3382/100	550.00 250.00
66 339 18	Accessories Colour Frame (Spare Part)	3391/165	7.80
Page !	DDICES ARE EX WORKS DELIVERY IS EVERA		

Page 4

PRICES ARE EX-WORKS, DELIVERY IS EXTRA

Part No.	Description	Model No.	Price (£)
	DISCHARGE SPOTLIGHTS		
	DAYLIGHT SPOTLIGHTS		
	Quartzcolor Daylight Sirio "H.M.I." Spotlights		
	Language Life (ML)		
65 300 00	6000W Sirio 6000W complete with high volt starter unit 4 leaf	3000/100	2100.00
65 300 70	rotating Barndoor, Wire Guard, Colour Frame and 8 metres of cable. 50 Hz Ballast unit (225/240V Single Phase)	3007/100	1781.00
66 300 20	8 Metres extension cable		
45 200 DZ	4000W	2000/100	1106 00
65 209 07	Sirio 4000W Spotlight complete with high volt starter unit 4 leaf rotating Barndoor, Wire Guard, Colour Frame and 8 metres of cable.	2090/100	1186.00
65 209 74 66 209 2T	50 Hz Ballast unit (225/240V Single Phase) 8 Metres extension cable	2097/100 2092/100	900.00
52 083 01 52 069 0T	Samson wind up stand with braked wheels Goliath heavy duty stand for 29mm socket	083 069	117.75 57.50
J2 007 01	fabout 1 data tib	007	37.30
65 208 01	2500W Sirio 2500W Spotlight complete with high volt starter unit 4 leaf	2080/100	755.00
65 208 79	rotating Barndoor, Wire Guard, Colour Frame and 8 metres of cable 50Hz Ballast Unit 220/240V	2087/100	530.00
66 208 24 65 208 52	8 Metres extension cable	2082/100	85.90
67 785 09	Square wave "Flicker Free" ballast PRICE ON APPLICATION Folding stand with wheel brakes	2085/100 785/100	81.80
	1200W		
65 207 06	Sirio 1200W Spotlight complete with high volt starter unit, 4 leaf rotating Barndoor, Wire Guard, Colour Frame and 8 metres of	2070/100	550.00
65 207 73	cable 50 Hz Ballast Unit 220/240V	2077/100	445.00
66 207 29 52 008 00	8 Metres extension cable	2072/100	71.00
J2 008 00	Hercules Steel Stand on castors	008	35.00
65 206 00	575W Sirio 575W Spotlight, complete with high volt starter unit, 4 leaf	2060/100	395.00
	rotating Barndoor, Wire Guard, Colour Frame and 8 metres of cable.		
65 206 78 66 206 23	50 Hz Ballast Unit 220/240V 8 Metres extension cable	2067/100 2062/100	382.00 71.00
52 008 00	Hercules Steel Stand on castors	008	35.00
	Accessories Sirio Spotlights	op pintfeld.	
66 208 40	4 Leaf Barndoor with large blades (for Sirio 2500/4000, Vega and Pollux)	2084/175	39.00
66 207 45	4 Leaf Barndoor with large blades (Sirio 1200W and Castor)	2074/175	28.50
	Quartzcolor Daylight "H.M.I./C.I.D." Spotlights (Altair)		
65 217 03	Altair IKw CID or 1200W H.M.I. Spotlight complete with high volt starter unit, 4 leaf rotating Barndoor,	2170/100	611.00
00.00	Wire Guard, Colour Frame and 8 metres of cable	Share officer	0.000
65 207 73 66 207 29	50 Hz Ballast Unit 220/240V 8 Metres extension cable	2077/100 2072/100	445.00 71.00
65 218 09	Altair 2.5Kw CID or 2500W H.M.I. Spotlight	2180/100	859.10
0, 210 0,	complete with high volt starter unit, 4 leaf rotating Barndoor,	2130/100	057.10
65 208 79	Wire Guard, Colour Frame and 8 metres of cable 50Hz Ballast Unit 220/240V	2087/100	530.00
66 208 24	8 Metres extension cable	2082/100	85.90

Part No.	Description	Model No.	Price (≦)
	BLONDE 2Kw		>
	Quartzcolor Ianebeam 2000\(\pi\) "Blonde"		
61 315 01	Accessory Holder, 5 metres of cable (And FEX Lamp in U.K. only)	3150/100	107.60
66 315 38 66 315 2T 66 315 70 53 153 00 53 154 06 66 954 20 66 955 26 66 955 18 52 005 04 53 150 12 53 150 20	Accessories 4 Leaf Barndoor Dichroic daylight filter in mount Plain glass in mount Dichroic daylight filter in mount (Ex U.K. only) Plain glass in mount (Ex U.K. only) Full double scrim (50% trans) Full single scrim (66% trans) Half double scrim Half single scrim Trojan stand (16mm spigot) De Luxe outfit case (1 Head) De Luxe outfit case (2 Heads)	3153/175 3152/185 3157/186 50/1 50/2 3154/181 3154/182 3155/183 3155/184 005 50/5	15.95 54.50 12.25 52.00 10.20 4.25 4.00 3.85 3.85 24.80 48.20 63.00
34 427 72 34 427 80	Rank Quartzcolor Lamps 220V 2000W 3200K Lamp 240V 2000W 3200K Lamp	FEX FEX	26.25 26.25
	Note:- Recommend the use of plain glass or scrim when dichroic is not used for safety.		
	REDHEAD 1000/800W	Colors of the Co	15 100 10
	Quartzcolor Ianebeam 800W "Redhead"		
61 314 22	Ianebeam 300₩ variable beam floodlight, complete with	3142/100	42.95
61 314 30	Stirrup 3.5 metres of cable (and DXX lamp in U.K. only) Ianebeam 800W variable beam floodlight, complete with Clamp Mount and 3.5 metres of cable (and DXX lamp in U.K. only)	3143/100	50.20
66 314 40 66 314 67 53 141 02	Accessories Accessory holder 4 Leaf Barndoor Dichroic daylight filter in mount (Ex U.K. only)	3144/100 3146/175 42/8	12.90 9.25 25.80
53 143 03 66 314 59	Plain glass in mount	42/9 3145/166	6.50 20.50
53 140 31	Outrigger colour frame Hand Grip	SEE1	9.50
66 948 25 66 948 17	Full double scrim (50% trans) Full single scrim (66% trans)	3148/181 3148/182	3.45 3.15
66 949 20 66 949 12	Half double scrim Half single scrim	3149/183 3149/184	2.80
67 257 56 52 052 04	Spartan Stand (16mm spigot) Apollo stand with (16mm spigot)	2575/100 052	25.00 21.00
53 142 16	De Luxe outfit case(4 Heads)	42/6	77.80
53 140 4T 34 413 81	'Rankpak' reflector pack 240V 800W Rank Quartzcolor lamp	42/7 DXX	7.30 8.47
	Note:- Recommend the use of plain glass or scrim when dichroic is not used for safety		er spores
	Quartzcolor Ianebeam 1000W (120V only)		WE 202 38
61 314 06	Ianebeam 1000₩ variable beam floodlight, complete with	3140/100	56.20
61 314 14	Stirrup, and 3.5 metres of cable Ianebeam 1000W variable beam floodlight, complete with Clamp Mount and 3.5 metres of cable	3141/100	60.30
	Glass/Filters	-	
53 153 19 53 154 14	"Blonde" dichroic (Ex U.K) "Blonde" Safety Glass	50/3 50/4	33.70 13.35
53 143 2T	Mount for "Redhead" dichroic or Safety/Glass	3145/1	2.10
53 141 10 53 143 11	"Redhead" dichroic "Redhead" Safety Glass (Ex U.K.)	42/4 42/5	16.50
53 155 01	Mount for "Blonde" dichroic or Safety/Glass	3152/1	2.90
Page 6	PRICES ARE EX-WORKS, DELIVERY IS EXTRA		

Part No.	Description	Model No.	Price (£)
	650W MINI REDHEAD		
61 313 00	Pulsar Variable Beam Floodlight with Accessory Holder, 3.5m Cable, and Bulb for 650W 220/240v or 250W 30v Operation	3130/100	64.00
	Accessories		
66 313 10	4 Leaf Barndoor	3131/175	10.50
66 932 5T	Dichroic Filter in Mount	3132/185	18.50
66 932 68	Safety Glass in Mount	3132/186	5.25
66 933 12	Full Double Scrim	3133/181	2.90
66 933 20	Full Single Scrim	3133/182	2.90
66 933 39 66 933 47	Half Double Scrim	3133/183	2.65
66 313 53	Half Single Scrim Kit Case	3133/184 3136/100	55.00
53 140 4T	"Rankpak" Reflector Pack	42/7	4.35
66 313 29	Filter Mount only	3132/1	2.95
67 236 56	Mercury Stand	2365/100	15.50
66 313 40	Outrig Colour Frame	3134/166	22.30
66 313 60	Umbrella Support	3135/100	POA
	Umbrella		
WALLEY TO			
	JUPITER 6		
61 304 17	Jupiter "Six" fitted with 100/120V voltage selector switch and	3041/100	404.20
01 50 . 1.	complete with Barndoor, Colour Frame and 7 metres of cable	20.1,100	701120
		na manual de la	
66 304 27	Colour Frame (Jupiter "Six") (Spare Part)	3042/165	-32.40
67 785 09 52 008 00	Folding stand with wheel brakes Hercules steel stand on castors	785/100 008	81.80
22 008 00	nercules steel stand on castors	008	35.00
	PROAD	Notes and	
61 332 OT	BROAD Broad 1250W Floodlight with 3.5 metres cable	3320/100	63.60
66 332 IT	4 Leaf Barndoor	3321/175	11.50
52 005 04	Trojan Stand	005	24.80
67 257 56	Spartan alloy stand	2575/100	25.00
	CLAMP LIGHTS & HAND LIGHTS		
61 338 02	Pines 500W Floodlight complete with binged arm clamp E S	2380/100	26.70
01 330 02	Pinza 500W Floodlight complete with hinged arm clamp E.S Lampholder and 3.5 metres of cable	4580/100	20.70
	Samphotod and Sty method of casts		
66 153 53	4 Leaf Barndoor with safety mesh	1535/175	14.60
66 155 46	Cone (40mm opening)	1550/191	15.15
66 155 89	Cone (80mm opening)	1550/193	15.15
	HAND LAMP AND BATTERY LIGHTING		
	THE DESIGNATION OF THE PROPERTY OF THE PROPERT		
61 279 02	Megalux 250W Tungsten halogen hand lamp with plug	2790/100	93.30
66 302 OT	Two leaf Barndoor	3020/175	14.50
66 302 18	Dichroic daylight filter (glass only)	3021/185	19.90
66 302 26	Dichroic filter mount	3021/186	24.80
66 043 00	Adaptor Spigot (essential for use on stand)	431/100	6.65
53 279 10	De Luxe outfit case	80/1	55.00
53 080 20 53 080 30	Strand 30v Battery Strand Charger	80/2 80/3	527.80 101.90
00 000 00	Strand Charger	00/3	101.50

Part No.	Description	Model No.	Price (E)
	QUARTZCOLOR LIGHTING KITS	dianisament son	
61 001 09	QUARTZCOLOR REDHEAD KIT		
	comprising:- 1 De Luxe outfit case	42/6	430.00
	4 "Redhead" Units	3142/100	
	4 Accessory Holders	3144/100	
	4-Four Leaf Barndoors 3 Spartan Stands	3146/175 2575/100	
	1 Small Gaffer Grip	1981/100	
	1 Full double scrim	3148/181	
	1 Full Single scrim	3148/182	
	1 Half double scrim 1 Half Single scrim	3149/183 3149/184	
	4 800W DXX lamps (UK only)	DXX	
	'Rankpak' reflector pack	42/7	
67 257 56	l extra Spartan stand at additional cost of	2575/100	25.00
53 143 03	4 Mounted Safety Glasses at additional cost of	42/9	24.40
61 002 04	BLONDE KIT	ollescon U.	100.00
	comprising:- De Luxe outfit case	50/5	199.00
	"Blonde" unit	3150/100	
	4 Leaf Barndoor	3153/175	ET 456 TB
	Plain glass in mount Full double scrim	50/2 3154/181	
	Full single scrim	3154/182	
	Half double scrim	3154/183	
	Half single scrim FEX 2000W lamp	3155/184 FEX	
	Note:		
	Other combinations of equipment are available on request		
		hours 2 market	
61 004 05			240.00
	comprising:- 3 Pulsar Units	3130/100	349.00
	3-Four Leaf Barndoors	3131/175	
	3 Mercury Stands	2365/100	
	1 Set of 4 scrims 3 Plain glasses in mounts	3133/181-4 3132/186	
	1 De Luxe outfit case	3156/100	
	"Rankpak" Reflector Pack	42/7	
61 004 10	QUARTZCOLOR E.N.G.KIT No.2	Cone (Strings country)	
	comprising:-	3130/100	360.00
	2 Pulsar Units 1 Mizar Unit	250/100	
	3-Four Leaf Barndoors	3131/175	100 mm - 100 (
	1 Small Gaffer Grip	1981/100	
	2 Mercury Stands 1 Set of 4 scrims	2365/100 3133/181-4	
	2 Plain glasses in mounts	3132/186	
	2 240/220v 650W Lamps		
	1 240/220v 500W Lamps 1 De Luxe outfit case	3156/100	
V 69-732	"Rankpak" Reflector Pack	42/7	
61 004 20	QUARTZCOLOR E.N.G.KIT N0.3		
	comprising:-		367.00
	1 Pulsar Units	3130/100 250/100	
	2 Mizar Unit 3-Four Leaf Barndoors	3131/175	
	1 Small Gaffer Grip	1981/100	
	2 Mercury Stands	2365/100	
	1 Set of 4 scrims 2 Plain glasses in mounts	3133/181 - 4 3132/186	
	1 240/220v 650W Lamps	7172/100	
	2 240/220v 500W Lamps		
	1 De Luxe outfit case	3156/100	
	"Rankpak" Reflector Pack	42/7	
Page 8	PRICES ARE EX-WORKS, DELIVERY IS EXTRA		

Part No.	Description	Model No.	Price (£)
61 004 30	PULSAR BATTERY KIT		
61 004 30	comprising		754.70
	1 Pulsar Lamphead	3130/100	727.70
	1 Four Leaf Barndoor	3131/175	
	1 Dichroic Filter in Mount	3132/185	
	1 Strand 30v Battery	80/2	
	1 Strand Charger	80/3	
	1 Hand Grip	SEE.1	
	1 Outfit Case	80/1	
25.00	1 Oddin Gase	33/1	
61 006 00	MEGALUX BATTERY KIT		
01 000 00	comprising		804.00
	1 Megalux Handlamp	2790/100	
	1 Two Leaf Barndoor	3020/175	
	1 Dichroic Filter	3021/185	
	1 Dichroic Mount	3021/186	
	1 Strand 30v Battery	80/2	
	1 Strand Charger	80/3	
	1 Outfit Case	80/1	
	BARRICUDA POLE SYSTEM		
	Quartzcolor "Barricuda" Telescopic Lighting Pole System		
((004 07	Support System	40/100	40.80
66 004 07 66 005 02	Barricuda Pole (2.65m to 4.70m) Barricuda Pole (1.63m to 2.81m)	50/100	40.80
66 006 08	Barricuda Pole (1.65m to 2.81m)	60/100	26.70
86 006 08	Balticuda Fole (1.00iii to 1.07iii)	60/100	20.70
	Extension		
66 037 05	Extension Pole (1m)	370/100	10.80
66 038 00	Extension Pole (1.5m)	380/100	11.80
	Square Section Crossbars	Capring Partinguage cologists with ear	
66 015 OT	Crossbar (3.6m)	150/100	14.50
66 016 05	Crossbar (2.4m)	160/100	10.50
66 017 00	Crossbar (1.2m)	170/100	6.70
66 014 04	Crossbar Support	140/100	3.75
	Gaffer Grips	band was in fills of some and some	
66 229 08	Large Grip with 16mm socket	2290/100	22.20
66 229 16	Large Grip with 16mm spigot	2291/100	22.20
66 198 09	Small Grip with 16mm socket	1980/100	8.40
66 198 17	Small Grip with 16mm spigot	1981/100	8.40
53 043 09	Adjustable Grip with 5/8" socket	043	7.65
53 043 17	Adjustable Grip 5/8" spigot	043.RAV	7.65
00.01	OPERATING POLES		
66 325 00	Operating Pole with cranked handle (1.5 metre)	3250/100	24.70
66 322 04	Operating Pole with cranked handle (2.5 metre)	3220/100	25.50
66 323 OT	Operating Pole with cranked handle (3.5 metre)	3230/100	26.20
66 324 05	Operating Pole with cranked handle (4.5 metre)	3240/100	28.30

U.K.PRICE LIST EFFECTIVE 25th JANUARY 1982

Part No.	Description	Model No.	Price (£)
	STANDS		>
		Control Land Control	
52 083 01	Samson wind-up stand with braked wheels (Vega/Sirio 4Kw & 2.5Kw)	083	117.75
52 069 OT	Goliath heavy duty stand for 29mm socket (vega/Sirio 4Kw)	069	57.50
67 785 09	Folding stand with wheel brakes for 29mm socket (Pollux & Antares 5Kw)	785/100	81.80
52 008 00	Hercules steel stand on castors for 29mm socket (Castor/Polaris/Bambino)	008	35.00
52 005 04	Trojan stand (16mm spigot) for use with "Blonde"	005	24.80
67 257 56	Spartan alloy stand for 16mm spigot for use with "Redhead"	2575/100	25.00
52 052 04	Apollo lightweight stand with 16mm spigot for use with "Redhead"	052	21.00
67 237 51	Pegasus compact stand (16mm spigot) for use with Pulsar	2375/100	16.80
67 236 56	Mercury Mini Stand 16mm Spigot for Pulsar Kit	2365/100	15.50
	ACCESSORIES		
64 925 80	16mm Male to Male Spigot Adaptor	2580/17B	1.40
66 063 13	Ball & Socket Flag arm	631/100	8.60
66 063 3T	Black Flag 25 x 40 cm	633/100	2.70
66 063 56	Veil Holder 25 x 40 cm	635/100	6.70
66 063 72	Net 25 x 40 cm	637/100	3.20
66 097 17	Single Gobo arm with 16mm spigot	971/100	27.30
66 097 25	Cloth Frame (40 x 60 cms)	972/100	10.20
66 097 33	Veil Frame (40 x 60 cms)	973/100	3.60
66 097 41	Cloth (40 x 60 cms) Mod. 972	974/100	7.60
66 097 5T	Single Veil for Mod. 973	975/100	8.00
66 097 68 66 166 06	Double Veil for Mod. 973	976/100 1660/100	6.80
66 166 14	Double extension arm with 29mm spigot Double extension Gobo arm with "C" clamp	1661/100	43.70
02.01	SUSPENSION EQUIPMENT	(mil) old? eslanossi	66 037 03
53 690 06	2 Spring Pantograph complete with 29mm spigot and 29mm socket,	66/1	244.50
22 070 00	maximum extension lift.	00/1	211.50
53 690 22	Barrel roller trolley for 2" scaffold barrel (48mm)	66/2	51.00
53 690 14	4 Spring Pantograph, complete with 29mm Spigot		
	and 29mm socket. Maximum extension 11 feet	392	300.90
26 594 04	Hook clamp (accepts 29mm spigot only) spigot	594	16.80
53 620 13	Scaffold clamp (Accepts 16mm or 29mm spigot)	B.E.8	42.60
53 610 32	Drop Arm complete with safety bond	66/3	33.40
53 630 29	Luminaire Safety Bond. 50kg.	66/4	9.15
66 173 07	"C" Clamp for 48mm scaffold tube (requires 29mm or 16mm spigot)	1730/100	6.50
66 173 15	Adaptor spigot (29mm) for Mod. 1730	1731/100	10.00
66 173 23	Adaptor spigot (16mm) for Mod. 1730	1732/100	6.60
66 172 01	Adjustable wall clamp with sockets for 29mm and 16mm spigots	1720/100	29.10
66 062 OT	Barrel socket clamp for 38mm scaffold tubes	620/100	23.80
66 062 18	Barrel socket clamp for 48mm scaffold tube	621/100	29.20
66 032 16	Adaptor socket 28.5mm with 16mm spigot	321/100	12.40
66 042 13	Adaptor spigot 28.5mm with 16mm socket	420/100	10.90
51 903 08	Barrel Roller Trolley	2242	36.70

*			
Part No.	Description	Model No.	Price (£)
	DAYLIGHT FLOODS		
50 010 01	KOBOLD DLF 200S FOCUS comprising 50 011 07 Lamphead, Barndoor, Filter holder 8m/24ft cable 50 011 4T Ballast with 2m/6ft mains cable 50 011 58 Transport case	DLF 010S DLF 014 DLF 015	585.00
50 011 66 50 011 74 52 005 04	Accessories Extension cable 5m/15ft Conversion filter 3200K Trojan stand	DLF 016 DLF 017S 005	29.70 37.90 24.80
50 020 09	KOBOLD DLF 575S FOCUS comprising 50 022 0T Lamphead, Barndoor and filter holder 50 022 18 Ballast with 2m/6ft cable 50 022 26 9 core cable 10m/30ft 50 022 50 Transport case for head 50 022 69 Transport case for ballast	DLF 020S DLF 021 DLF 022 DLF 025S DLF 025A	995.00
50 022 26 50 022 77 52 008 00	Accessories 9 core cable 10m/30ft Conversion filter 3200K Hercules Steel Stand on castors	DLF 022 DLF 027 008	50.50 61.00 35.00
50 030 06	KOBOLD DLF 1200 FOCUS comprising:- 50 033 02 Lamphead, Barndoor and filter holder 50 033 10 Ballast 50 033 29 9 Core cable 10m/30ft 50 033 45 Transport case for head 50 033 53 Transport case for ballast	DLF 030S DLF 031 DLF 032 DLF 034S DLF 035	1393.00
50 033 29 50 044 80 52 008 00	Accessories 9 Core cable 10m/30ft Conversion filter 3200K Hercules Steel Stand on castors	DLF 032 DLF 048 008	50.50 102.30 35.00
	DAYLIGHT BATTERY KIT		
50 080 02	KOBOLD REPORTERLIGHT 200EL/D-B comprising 50 088 06 Lamphead, Hand Grip, Barndoor and Filter Holder 50 088 14 Ballast 50 307 06 7Ah 30V battery 50 123 77 Charger 50 088 22 Carrying strap 50 088 30 Transport case	DLF 080D DLF 081 BA-30EL/7 LA-12/307 DLF 082 DLF 083	1610.00
50 800 00	KOBOLD REPORTERLIGHT 200EL/D-B KIT as above but including conversion filter		1649.00
50 090 OT	KOBOLD REPORTERLIGHT 200EL/D-BN comprising 50 088 06 Lamphead, Hand Grip, Barndoor and Filter Holder 50 088 14 Ballast 50 307 06 7Ah 30V battery 50 088 81 Mains adaptor with charger 50 088 22 Carrying strap 50 088 30 Transport case	DLF 080D DLF 081 BA-30EL/7 DLF 088 DLF 082 DLF 083	2050.00
50 900 05	KOBOLD REPORTERLIGHT 200EL/D-BN KIT as above but including conversion filter		2089.00
50 011-74	Accessory Conversion Filter 3200K	DLF 017S	39.00
50 102 42	KOBOLD AKKU MINI 24NC. comprising 1 NC-battery 24V 4Ah with built in charger and leather case 1 Mini 24 light 1 Lamp 250W 24V 1 Hand grip and metal bracket 1 Case		217.00

RANK STRAND LIMITED

LIGHTING DIVISION

P.O.BOX 51, GREAT WEST ROAD, BRENTFORD, MIDDLESEX, TW8 9HR.

Telephone - 01-568-9222

- 01-568-7171 (Sales Desk only)

Telex - 2797

Cables - RANKAUDIO BRENTFORD

GENERAL INFORMATION

Prices and Delivery

Prices are in £ sterling and include domestic packing but not carriage. Special packing and export packing/crating are extra. All orders for delivery within the United Kingdom which are for less than £85.00 pre-VAT will be subject to a £9.00 minimum charge for packing and carriage.

Prices do not include carriage. Carriage costs within the United Kingdom are charged at cost or at the predetermined rates established by Rank Strand. All export shipping costs and freight are for the account of the buyer.

COLLECTIONS

For immediate collection visit Rank Strand Counter Sales or your nearest dealer. Payment at Rank Strand Counter Sales may be by cash, cheque with Bankers card or an official order charged against an existing account

Strand Studio Division's responsibility ceases upon delivery of shipments to the carrier, and buyers are warned to immediately notify the carrier in writing of any loss or damage to goods in transit. Dimmer systems, lighting equipment and accessories (except lamps) are guaranteed to be free from defects in material and workmanship under normal use for 180 days from date of purchase. Commodities not manufactured by us are warranted and guaranteed only to the extent and in the manner warranted and guaranteed to us by the manufacturer and then only to the extent we are able to enforce such warranty or guarantee. Our obligation under this guarantee is limited to repairing or replacing any part or parts thereof ex our works within 180 days from date of purchase of unit by the original purchaser, and which upon examination at our plant shall disclose to our satisfaction to have been thus defective. This guarantee is expressly in lieu of all of the guarantees expressed or implied and of all other obligations or liabilities on our part, and we neither assume nor authorise any representative or other person to assume for us any other liability in connection with the sale of our products. This guarantee shall not apply to any unit which shall have been repaired or altered in in any way, nor shall it apply to any unit which has been subject to misuse, neglect or accident. Should your equipment require repair, take the unit to the dealer from whom you purchased it or pack it carefully and ship it to us insured, freight PREPAID, and indicate the repair problem, include a copy of your invoice showing date of purchase. No returns accepted without written authorisation from the Brentford office and may be subject to restocking/handling charges.

Deliveries: Delivery schedules are based on normal conditions. Strand Studio Division cannot assume reponsibility for delays or preventions caused by fires, riots, nature, governmental orders, strikes, lockouts, available supplies of raw materials, transportation facilities, or other causes affecting production or delivery beyond our reasonable control.

Prices and specifications are subject to change without notice and do not include V.A.T. or any such surcharges.

All lighting units are priced without lamps unless otherwise stated.

Possession of this price catalogue is not in itself an offer to sell.

The Strand Studio Division Engineering personnel are available for technical sales support.

Most fixtures will accept 110, 220 and 240 volt lamps for use in those countries requiring such voltage.

Should extra length cable be required, the extra cost and availability can be advised on application.

ALL EQUIPMENT IS DOMESTIC PACKED. EXPORT CRATING AND SHIPMENT ARE SUBJECT TO AN EXTRA CHARGE. WHEN REQUIRED, PLEASE ENQUIRE.

STANDARD PAYMENT TERMS ARE:

United Kingdom: In respect of Equipment for eventual delivery in the United Kingdom payment is due at the end of the calendar month following the month during which the goods are invoiced.

Overseas: In respect of Equipment for eventual delivery outside the United Kingdom and where not otherwise specified, payment shall be made prior to shipment by an irrevocable letter of credit confirmed for payment by a British bank in London.

To help us handle your order without delay please use the 7-digit order code and follow the procedure outlined.

PRICES ARE EX-WORKS, DELIVERY IS EXTRA