



# **Media Server Qube Control**

## **Media Server Qube Control Computer**

### ***DT*series**

#### **Description of the devices**


ROBE® lighting s.r.o. • Czech republic • [www.robe.cz](http://www.robe.cz)

# 1.Introduction

Full control of Robe's StageQube LED panels is provided via the Media Fusion Qube Control software running on Robe's Media Server Qube Control computer. The computer can be integrated to the light case to simplify its transport and handling - the Media Server Qube control.


## 2.Media Server Qube Control computer

### 2.1 Front panel



- 1-Front cover
- 2-Lock
- 3-DVD drive
- 4-2x USB 2.0 port
- 5-ATX power switch

### 2.2 Rear panel



- 1-Power switch
- 2-Main socket
- 3-PS/2 mouse port
- 4-PS/2 keyboard port
- 5-Coaxial S/PDIF Out port
- 6-Optical s/PDIF Out port
- 7-IEE 1394a port
- 8-External SATA ports
- 9-LAN 1 (RJ-45) port-Qube
- 10-4 x USB 2.0 port
- 11-LAN 2 (RJ-45) port
- 12-Wireless LAN port
- 13-Rear speaker out port
- 14-Side speaker out port
- 15-Center/Subwoofer port
- 16-Microphone port
- 17-Line out port
- 18-Line In port
- 19-Graph.card - DVI/connector
- 20-Graph.card - DVI/connector
- 21-Graph.card - VIVO/TV Out Connector
- 22-2x USB 2.0 ports
- 23-Capture card 1-VGA D type connector (not connected)
- 24-Capture card 1-VGA D type connector
- 25-Capture card 2- Composite Video in
- 26-Capture card 2 - S-video in

## 2.3 Technical specification

Motherboard:ASUS P5N32-SLI Premium

Memory: 2 GB,DIMM DDR2

Processor: Core 2 Duo Conroe E6400 2

Hard disk: Western Digital Raptor 150 GB,10000rpm,SATA 150,16MB

Capture card 1:Phynx RGB-VGA/RGB

Capture card 2:Leadtek WinFast VC100 XP

Graphic card:Leadtek Winfast PX 8600 GTS

DVD drive: Samsung SH-S182D 8x8x18x18

Keyboard: C-Tech KB-9845

Mouse:Creative Laser Gamer Mouse HD7600L

Display:ASUS LCD "19",VW192S

Operating system:Windows XP

Running software:Media Fusion Qube Control Software

Dimensions(mm) LxWxH:505x485x183

Weight:12kg

## 2.4 Included accessories


1x DVI-VGA cable,2m (No.13050 971)

1x Ethernet cabel ,10m (No.13050930)

1x Media Fusion DMX/USB Interface (No.10080120)

## 3.Media Server Qube Control


### 3.1 Front view




Note. Extensible parts (display,keyboard,computer and cable box) are locked.Raise up the metal lever "A" on a guide rail before pushing them out-see the picture on next page..



### 3.2 Rear view



Detail of the connection block



### 3.3 Technical specification

Motherboard:ASUS P5N32-SLI Premium  
Memory: 2 GB,DIMM DDR2  
Processor: Core 2 Duo Conroe E6400 2  
Hard disk: Western Digital Raptor 150 GB,10000rpm,SATA 150,16MB  
Display:ASUS LCD "19",VW192S  
Capture card 1:Phynx RGB-VGA/RGB  
Capture card 2:Leadtek WinFast VC100 XP  
Graphic card:Leadtek Winfast PX 8600 GTS  
DVD drive: Samsung SH-S182D 8x8x18x18  
Keyboard: C-Tech KB-9845  
Mouse:Creative Laser Gamer Mouse HD7600L  
Display:ASUS LCD "19",VW192S

Operating system:Windows XP  
Running software:Media Fusion Qube Control Software

Flight case dimensions(mm) LxWxH:770x600x1075  
Weight:122 kg

### 3.4 Included accessories

1x DVI-VGA cable,2m (No.13050 971)  
1x Ethernet cabel ,10m (No.13050930)  
1x Power cable 1.5m (No.13051032)  
1x Media Fusion DMX/USB Interface (No.10080120)