


CCT

theatre lighting

A photograph of a theatre stage. On the left, a man in a grey sweater and glasses is seen from the side, looking towards the stage. In the center, a man in a yellow uniform and cap stands holding a cane. On the right, a ballerina in a white tutu is seen from the back. The stage is lit with various colored lights, and there are stage lights and equipment visible in the background.

**STAGE LIGHTING
ECLAIRAGE DE SCENE
BÜHNENLICHT
ILUMINACION DE ESCENARIOS**



SILHOUETTE AND MINUETTE PROFILE SPOTS - These spotlights have 4 built-in shutters between the reflector system and the variable spread lens system to provide accurate and convenient control of beam shape. Slot for iris diaphragm and Gobo holder.

PROJECTEUR DE PROFIL SILHOUETTE ET MINUETTE - Ces projecteurs sont équipés de 4 volets incorporés entre le système de réflexion et le système de lentille à diffusion variable afin de fournir un contrôle de la forme du faisceau précis et pratique. Une fente pour le diaphragme à iris et le support Gobo.

SILHOUETTE UND MINUETTE PROFILSCHEINWERFER - Diese Scheinwerfer haben 4 eingebaute Abdeckblenden zwischen dem Reflektorsystem sowie ein Linsensystem mit verstellbarem Lichtausfallwinkel. Dadurch ist eine genaue und leichte Kontrolle des Lichtfeldes gegeben. Einschubfals für Irisblende und Vignettenhalter.

PROYECTORES DE PERFIL SILHOUETTE Y MINUETTE - Estos proyectores tienen 4 obturadores incorporados entre el sistema reflector y el sistema de lente de abertura variable para proporcionar un control preciso y conveniente de la forma del haz. Ranura para diafragma Iris y soporte Gobo.

FOLLOW SPOTS with built-in iris/blackout and 4 shutters.

PROJECTEURS DE POURSUITE avec fermeture totale/iris et 4 volets incorporés.

FOLGE-SCHEINWERFER mit eingebauter Irisblende/Verdunklung und 4 Abdeckblenden.

PROYECTORES DE SEGUIMIENTO con iris/cierre total incorporado y 4 obturadores.

ROCKETTE - Beamlight.

ROCKETTE - Reflecteurs paraboliques.

ROCKETTE - Parabolspiegelscheinwerfer.

ROCKETTE - Reflectores parabólicos.

PEBBLE-CONVEX SPOTS - These new

spotlights provide a soft-edged smooth

variable beam without halation.

PROJECTEURS CONVEXES PEBBLE - Ces nouveaux projecteurs fournissent un faisceau variable uni à bords flous sans halo.

PEBBLE-LINSENSCHEINWERFER - Diese neuen Scheinwerfer mit Stufenlinse haben ein Lichtfeld mit weicher Randzeichnung ohne Lichthofbildung.

PROYECTORES PEBBLE CONVEXA - Estos proyectores nuevos proporcionan un haz liso y variable de bordes suaves sin halo de reflexión.

FRESNEL SPOTS - These provide a soft-edge circular beam which is variable in spread from an intense near-parallel beam to a medium angle flood.

PROJECTEURS FRESNEL - Ces projecteurs donnent un faisceau rond à bords flous, dont le diamètre varie suivant que l'angle est très étroit ou moyen.

FRESNEL STUFENLINSEN-SCHEINWERFER - Scheinwerfer mit Stufenlinse haben ein Lichtfeld mit weicher Randzeichnung. Der Lichtausfallwinkel kann durch Verstellen der Lampe zur Linse verändert werden.

PROYECTORES FRESNEL - Estos proporcionan un haz circular de bordes suaves que es variable en abertura desde haz concentrado casi paralelo hasta una inundación de ángulo medio.

COLOUR FRAME

PORTE-FILTRE

FILTERRAHMEN

CHASIS

IRIS DIAPHRAGM

DIAPHRAGME A IRIS

IRISBLLENDE

DIAFRAGMA IRIS

IRIS/BLACKOUT

DIAPHRAGME A IRIS/FERMETURE TOTALE

IRISBLLENDE/VERDUNKLUNG

DIAFRAGMA IRIS/CIERRE TOTAL

ROTATABLE BARNDOR ATTACHMENT

4 VOILETS COUPE-FLUX ORIENTABLES

DREHBARE TORBLENDE

VISERA ROTATIVA DE 4 OREJAS

GOBO HOLDER

SUPPORT GOBO

VIGNETTHENHALTER

SOPORTE GOBO

REAR HANDLE

POIGNÉE ARRIÈRE

HINTERER GRIFF

PUNO TRASERO

Starlette

FRESNEL



PEBBLE CONVEX



LAMPS 650W: T/12, CP/23
1000W: T/11, CP/24

Z0050





Tenth Peak Angle 15°-65°
Half Peak Angle 8°-57°
Weight 5.2kg

Z0052




Tenth Peak Angle 10°-50°
Half Peak Angle 6°-42°
Weight 7.0kg



Rockette

BEAMLIGHT



Z0035

Integral colour filter holder
Weight 3.4kg


LAMPS PAR 64

220V/240V: CP/60/NS,

* CP/61/S, CP/62/F


120V: FFP/NS, FFR/MF

*Series Splitter
available






Silhouette

1000W PROFILE SPOT



LAMPS
650W T/12, CP/23
1000W T/11, CP/24




Z00AN
40° Lens Tubewith lamphouse
Tenth Peak Angle 28°-46°
Half Peak Angle 17°-41°
Weight 9.4kg

Z00AP (Illustrated)
30° Lens Tubewith lamphouse
Tenth Peak Angle 22°-40°
Half Peak Angle 13°-31°
Weight 9.2kg


Z00AQ
15° Lens Tubewith lamphouse
Tenth Peak Angle 11°-23°
Half Peak Angle 6°-19°
Weight 12.6kg

Z00AS
10° Lens Tubewith lamphouse
Tenth Peak Angle 9°-20°
Half Peak Angle 6°-16°
Weight 16.9kg



The Silhouette Profile Spotlight system comprises both 1000W and 2000W lamphouses and a series of easily fitted interchangeable twin lensed tubes. The support yokes can be readily moved to achieve the correct balance for any combination of lamphouse and lens tube. In both lamphouses the lamp is located on an easily removeable plug-in chassis with built-in safety earthing (grounding) and filament trimming system for selecting either a 'peaky' or 'flat' field. The twin lensed system provides for an overall range of adjustment from 6° to 46° depending upon which tube is used. The adjustment within each tube is far greater than possible with a single or compound fixed lens system.

2000W PROFILE SPOT






Z00DN
40° Lens Tube with lamphouse
Tenth Peak Angle 32°-46°
Half Peak Angle 28°-42°
Weight 12.9kg

Z00DP
30° Lens Tube with lamphouse
Tenth Peak Angle 23°-40°
Half Peak Angle 18°-36°
Weight 12.7kg

Z00BQ (Illustrated)
15° Lens Tubewith lamphouse
Tenth Peak Angle 12°-23°
Half Peak Angle 9°-17°
Weight 15.9kg

Z00BS
10° Lens Tubewith lamphouse
Tenth Peak Angle 10°-19°
Half Peak Angle 7°-13°
Weight 20.2kg

LAMPS 2000W CP/43



FOLLOW SPOT





1000W CSI, CID

Z00CQ
15° Lens Tube with lamphouse
Tenth Peak Angle 12°-25°
Half Peak Angle 11°-23°
Weight 18.3kg

Z00CS (Illustrated)
10° Lens Tube with lamphouse
Tenth Peak Angle 10°-20°
Half Peak Angle 9°-18°
Weight 22.6kg


1000W TUNGSTEN HALOGEN
Z00AQ. 17. 18. With 15° Lens Tube

2000W TUNGSTEN HALOGEN
Z00BQ. 17. 18 With 15° Lens Tube
Z00BS. 17. 18 With 10° Lens Tube




Minuette

FRESNEL




Z0042
Tenth Peak Angle 20°-74°
Half Peak Angle 9°-64°
Weight 2.2kg



PEBBLE CONVEX




Z0044
Tenth Peak Angle 11°-58°
Half Peak Angle 8°-49°
Weight 2.5kg



PROFILE



Z0002
Tenth Peak Angle 17°-37°
Half Peak Angle 10°-21°
Weight 3.8kg




Lamps
300W M/38
500W M/40, T/18

Lamps
300W M/38
500W M/40, T/18

Gobos



A complete range of Gobo patterns is available



Colour Change

Hand and remotely operated 24V colour change systems



CHROMATIC COLOUR WHEEL SYSTEMS

5 colours, 24V.
3 conductor
multiplexed control.



Control Pads – standard
2, 4 and 6-way.



COLORSETTE 4 AUTO 24V AC Mk.II

Z0122 - To fit Starlette, 30° and
40° Lens Tube
Z0123 - To fit 15° Lens Tube

Control & Dimming




FLATAPAK & LINKIT

2kW and 5kW 220V/240V to UK and European standards



E.S.6000 Dimmer Rack

220V/240V to UK and European standards 6, 12 and 18 ways available.



ROCKBOARD

36, 48 and 60 ways

MULTIWAY

30, 40 and 60 ways with larger systems available



OTHER SYSTEMS INCLUDING MEMORY
SYSTEMS ARE AVAILABLE
D'AUTRES SYSTÈMES, Y COMPRIS DES
SYSTÈMES À MÉMOIRES SONT
DISPONIBLES
ANDERE SYSTEME, EINSCHLIESSLICH
SPEICHERSYSTEME SIND FERNER
ERHÄLTICH
OTROS SISTEMAS INCLUSO SISTEMAS DE
MEMORIA SON DISPONIBLES

Accessories

EFFECTS PROJECTION

CCT offer both Tungsten Halogen and CSI, CID projectors with a range of Moving Effects attachments and objective lenses.

STANDS, CLAMPS AND BRACKETS

Hook clamps, safety chains, brackets and a comprehensive range of stands are available.

COLOUR FILTERS AND LAMPS

High temperature filters and a full range of lamps can be supplied.

Further information on equipment listed in this brochure is available on request.

Hire

CCT carry an extensive range of lighting and lighting control equipment for short and long term HIRE. Separate brochure available.

Presentation

CCT's PRESENTATION department can plan-design-supply-rig and operate commercial, industrial and theatrical shows of all kinds. Our in-house team of skilled specialists can undertake responsibility for the complete package or provide particular skills.

CCT theatre lighting limited

WINDSOR HOUSE, 26 WILLOW LANE, MITCHAM, SURREY, CR4 4NA. TEL. 01-640 3366 TELEX 946648

SCOTLAND:

CCT Lightsource

6, Scotland Street Lane West,
Edinburgh,
EH3 6PT.
Telephone: 031 556 1019

CCT theatre lighting limited

1 Wilson Street,
Bristol,
BS2 9HH.
Telephone: 0272 426137

U.K. STOCKISTS:

A.J.S. THEATRE LIGHTING
AND STAGE SUPPLIES
15, Kilmarnock Road,
Winton, Bournemouth,
Dorset.
Telephone: 0202 523031

PLAYLIGHT,
15, Park Street,
Swinton, Manchester,
M27 1UG.
Telephone: 061 793 5848

SOUND ELECTRONICS,
43, Heaton Grove
Newcastle-on-Tyne.
Telephone: 0632 27434

CEREBRUM,
Hire Limited,
168, Chiltern Drive,
Surbition,
Surrey.
Telephone: 01-390-0051

LANTERN THEATRE SERVICES,
32 Cardigan Road,
Headingley,
Leeds LS6 3AG
Telephone: 0532 787028/757358

ANCIENT LIGHTS
8, West Carr Road,
Attleborough,
Norfolk,
NR17 1AA.
Telephone: 0953-452210

STAGE CONTROL LIMITED
Station Parade,
Canons Park,
Edgware,
Middlesex.
Telephone: 01-952 8982

MAIN OVERSEAS COMPANIES & STOCKISTS:

CCT

THEATRE LIGHTING (AUSTRALASIA) PTY LTD.,
109/111 York Street,
South Melbourne,
Victoria 3205,
Australia.
Telephone: 690 1618

CCT

LIGHTING INC.
245 Carlaw Avenue
Toronto M4M 2S6
Telephone: (416) 469 3766

OVERSEAS STOCKISTS IN:-
AUSTRIA, DENMARK, HOLLAND, FRANCE, FINLAND,
IRELAND, ITALY, SOUTH AMERICA, SPAIN, SWEDEN,
W. GERMANY, JAPAN, SINGAPORE,
REPUBLIC OF SOUTH AFRICA. U.S.A.

DISTRIBUTED BY:

Ancient Lights

8 West Carr Road,
Attleborough,
Norfolk NR17 1AA

Telephone: Attleborough (0953) 452210

Registered in England No: 2115411. VAT No 293 5519 33