

LIGHTING TECHNOLOGY 2 TUDOR ESTATE, ABBEY ROAD PARK ROYAL, LONDON U.K. NW10 7UY

TEL: 44 (0) 181-965 6800 FAX: 44 (0) 181-965 0970





DMX/ANALOGUE CATERPILLAR

- 240V version supplied with 1.5 mtr cable
- 120V version supplied with 1.5 mtr cable and moulded 3 pin American plug
- External mains fuse
- DMX 512 input via 5 pin XLR (3 channels)
- 0-10V input via 5 pin XLR (3 channels)
- Internal programme on DMX channel 600
- Rotary BCD switches for DMX channel address
- Signal reception and mains indicator
- High quality DC servo motors and all metal direct drive gear boxes
- Motor overload protection
- 160° movement in vertical axis
- 160° + 160° movement in horizontal axis
- High performance Par 36 reflector Beam angle 2°
- Replaceable 12V 20W M47 Halogen capsule
- Universal mounting
- Adapters available for wall, ceiling and truss mounting
- Fixing via four M6 threaded bushes
- Dimensions: 212mm x 430 mm
- Weight: 3.6 kilogrammes
- Standard colours: Black & White

Other colours and UV active available to order

JOYSTICK CATERPILLAR

The Joystick Caterpillar has no DMX or Analogue inputs but is supplied with a dedicated Joystick with 2 metres of control cable.





LIGHTING TECHNOLOGY
2 TUDOR ESTATE, ABBEY ROAD
PARK ROYAL, LONDON
U.K. NW10 7UY
TEL: 44 (0) 181-965 6800
FAX: 44 (0) 181-965 0970